GTX 10Pi

TWO-WAY LINE ARRAY MODULE



Description

The GTX 10 Installation Series is a two-way line array system suitable for medium to large-scale, high-demanding, install sound applications, both indoors and outdoors. Equipped with three best-in-class transducers, it offers excellent reproduction quality and optimized directivity in three coverage options enabling precise customization for any project. The integrated rigging hardware allows the system engineer to create arrays with 0° to 10° angles between modules, with 1° steps. Up to 16 modules can be suspended on a single fly-bar. Designed to operate with XPS 16K four-channel DSP amplifiers, each of which is able to manage up to 6 modules.

Features

› 143 dB max SPL
› 4" neo compression driver
› 2 x 10" neo woofers, 3" v.c.
› 75° x 15° 4PATH waveguide
› Designed to operate with XPS 16K amplifier (6 modules for each unit)
› Durable and lightweight cabinet construction, polyurea coating
› Heavy duty, powder coated, custom perforated front grille
› IN / OUT screw terminal connectors, up to AWG 9 cable

Part Number

13000865	GTX 10Pi	Black	EAN 8024530022761
13000920	GTX 10Pi IP	Black	EAN 8024530022747

GTX 10Pi

TWO-WAY LINE ARRAY MODULE

Acoustical specifications	Frequency Response (-10dB)	42 Hz ÷ 20000 Hz
	Max SPL @ 1m	143 dB
	Horizontal coverage angle	70°
	Vertical coverage angle	15°
Power section	Amplification	Bi-Amp
	Nominal Impedance LF	8 ohm
	Nominal Impedance HF	8 ohm
	Recommended Amplifiers	XPS 16K, XPS 16KD
Transducers	Compression Driver	1 x 1.4" neo, 4.0" v.c
	Woofer	2 x 10" neo, 3.0" v.c
Input/Output section	Input connectors	Screw Terminals
	Output connectors	Screw Terminals
Standard compliance	Safety agency	CE compliant
Physical specifications	Cabinet/Case Material	Birch plywood
	Hardware	Array fittings
	Grille	Steel with clothing
	Color	Black
Size / Weight	Height	337 mm / 13.27 inches
	Width	750 mm / 29.53 inches
	Depth	482.3 mm / 18.99 inches
	Weight	32 kg / 70.55 lbs

Line Art 2D