

COMPACT C 45

TWO-WAY PROFESSIONAL SPEAKER



Description

COMPACT C 45 is a multipurpose two-way point source speaker, suitable for a wide range of near and mid-distance applications. The combination of a 4" neodymium compression driver, a 15" neodymium woofer, and a constant directivity rotatable waveguide produces coherent 100° x 50° coverage for the listening area with high SPL, and distortion-free sound. The sleek and lightweight wood cabinet uses a special polyurea coating and a robust powder-coated grille with protective foam. Optional mounting accessories allow for wall or ceiling installation.

Features

- > 700 W power handling (RMS)
- > 138 dB max SPL
- > 48 ÷ 20000 Hz frequency range
- > 100° x 50° constant directivity coverage angle
- \rightarrow 1 x 15" high power neodymium woofer
- > 1 x 4.0" v.c. neodymium compression driver
- > High quality birch plywood cabinet
- > Steel front grille with clothing
- > Installation points available on top, bottom, rear and side panels
- > SPEAKON in/out connectors

Part Number

13000602 COMPACT C 45

8ohm


Black - RAL 9005 EAN 8024530020286





COMPACT C 45

TWO-WAY PROFESSIONAL SPEAKER

Line Art 2D







TECHNICAL SPECIFICATIONS

Acoustical specifications

Transducers

Input/Output section

Frequency Response (-10dB) 48 Hz ÷ 20000 Hz

Max SPL @ 1m 138 dB

Horizontal coverage angle 100° Vertical coverage angle 50° Directivity index Q 10

System Sensitivity 98 dB

Power section | Amplification | Full Range

Nominal Impedance 8 ohm
Power Handling 700 W RMS
Peak Power Handling 2800 W PEAK

Protections Dynamic Active Mosfet

Crossover Frequencies 1100 Hz

Recommended Amplifiers XPS 16K, XPS 16KD, QPS 10K, QPS 6.0K, IPS 5.0K, IPS 2.5K, IPS

1.5K, DMA 504

Compression Driver 1 x 1.4" neo, 4.0" v.c

Woofer 1 x 15" neo, 4.0" v.c

Input connectors Speakon
Output connectors Speakon

Standard compliance Output connectors Speakon
Safety agency CE compliant

Physical specifications Cabinet/Case Material Birch plywood

Hardware $4 \times M8, 14 \times M10$ GrilleSteel with clothingColorBlack - RAL 9005Height705 mm / 27.76 inches

 Size / Weight
 Height
 705 mm / 27.76 inches

 Width
 418.8 mm / 16.49 inches

 Depth
 460 mm / 18.11 inches

 Weight
 32.5 kg / 71.65 lbs

Technical Specifications Page 2 of 3



COMPACT C 45

TWO-WAY PROFESSIONAL SPEAKER

AC	CESS	ORI	ES

Rigging / Mounting

13360541 V-BR 001 Black - RAL 9005 EAN 8024530020750

 HORIZONTAL BRACKETS

 13360535 H-BR 001
 Black - RAL 9005
 EAN 8024530020743

WALL MOUNT BRACKETS

13360539 WM-BR 001 Black - RAL 9005 EAN 8024530021344

Upgrade Kits CONNECTION PANELS

12399063 PNL IN-OUT AMPHENOL Black EAN 8024530020149

HORN KIT13360505 HN-KIT COMPACT C 32 C 45 Black EAN 8024530020019

Technical Specifications Page 3 of 3